\geq
9
0
95
-
J
_
00
ğ
300
90
300
300
300
PL 8000
7,008
1PL 8000











UBS				APL 3800	APL 8000	APL 8000 ELV
EQUIPI	EQUIPMENTS	APL 35s	APL35si	APL3800	APL8000	APL8000 ELV
	RESOLUTION	203-300dpi*	203-300dpi*	203-300dpi*	2 0 3 - 3 0 0 d p i *	203-300dpi*
	LABELING SPEED	Up to 180m/min**	Up to 180m/min**	Up to 10 pallets/min (1 label/pallet)* *	Up to 10 pallets/min (1 label/pallet)* *	Up to 2 pallets/min (2 labels/pallet)**
	PRINT ENGINE	श्री. ZEBRA Honeywell	البر ZEBRA Honeywell	भूत. ZEBRA Honeywell	श्री. ZEBRA Honeywell	भूत. ZEBRA Honeywell
	LABEL ROLL	300 mm (350mm optional)	300 mm (350mm optional)	300 mm	260 mm	260 mm
	RIBBON ROLL	600 mm	600 mm	600 mm	600 mm	600 mm
	PRINT ENGINE DATA INTERFACE	Ethernet, USB, Wifi, RS232 *	Ethernet, USB, Wifi, RS232 *	Ethernet, USB, Wifi, RS232 *	Ethernet, USB, Wiff, RS232 *	Ethernet, USB, Wifi, RS232 *
	DISPLAY	3.8" monochrome touch screen display	4.3" full color touch screen display	3.8" monochrome touch screen display	5.7" full color touch screen display	5.7" full color touch screen display
	ENVIRONMENT	From 5°C up to 40°C	From 5°C up to 40°C	From 5°C up to 40°C	From 5°C up to 40°C	From 5°C up to 40°C
	HUMIDITY	Between 20% - 85% non-condensing	Between 20% - 85% non-condensing	Between 20% - 85% non-condensing	Between 20% - 85% non-condensing	Between 20% - 85% non-condensing
	POWER SUPPLY	110 / 230 VAC, 50 / 60 Hz	110 / 220 VAC, 50 / 60 Hz	110 / 240 VAC, 50 / 60 Hz	110 / 220 VAC, 50 / 60 Hz	110 / 220 VAC, 50 / 60 Hz
	APPLICATIONS	Top, side, frontal, rear, corner, double panel	Top, side, frontal, rear, corner, double panel	Up to 2 sides labeling	Up to 3 sides labeling	Double stacked or pallets with variable heights up to 3 sides labeling
91.	UNIT	Cases, packs, trays, bags,etc.	Cases, packs, trays, bags,etc.	Palletized units	Palletized units	Palletized units

*Depending on print engine and printing speed specifications. **Depending on application type, print engine and packaging dimensions.

United Barcode Systems
Labeling, Coding & Marking



Secondary

& Tertiary

Packaging



APL 35s APL 35si APL 3800 APL 8000 & 8000 ELV



ww.ubscode.com

917091\J9AN∃

PRINT & APPLY

SECONDARY PACKAGING

Thanks to the multiple applications options provided, we can apply dynamic, static, and high-cadence labeling in a variety of configurations (front, side, back, top, corner, and even double adjacent labeling)...

PRINT & APPLY

TERTIARY PACKAGING

The versatility of our equipments allows us to label any palletized unit load on 1, 2, or 3 sides, regardless of the pallet type: Euro-pallets, universal pallets, half pallets, stacked pallets, height-adjustable pallets...

ARL

Are you looking for a labeling system that comply with GS1 international codification and traceability standards?

APL 35s Series

Labeling features

- ✓ Max. label width:170mm
- ✓ External reel diameter (max.) 300mm (350mm optional)
- ✓ Pneumatic or electric applicator



Do you need to add some advanced functionalities to APL35s?

APL 35si Series

Labeling equipment with premium features

- ✓ Color touch screen 4,3"
- ✓ Ethernet connection
- ✓ Multisignal Integrator connector
- ✓ Siemens or Allen Bradley PLC



FAMILY FARM



APPLICATION ZONE











Safe of moon

GCEO.



DOUBLE PANEL







APL 3800

Are you interested in a compact machine for medium and high volume plants which labels up to 2 sides per pallet?

UBS Solution: APL 3800

Labeling speed

- √ 1 label: 10 pallets/min**
- √ 2 labels: 3 pallets/min**

APL 8000

Do you need an equipment which print and applies labels on 1. 2 or 3 sides?

UBS Solution: APL 8000

Labeling speed

- √ 1 label: 10 pallets/min**
- ✓ 2 labels: 3 pallets/min**
- ✓ 3 labels: 2 pallets/min**

APL 8000 ELV

All you really need is a special solution for labeling stacked pallets or pallets with variable heights, up to 3 sides per pallet?

UBS Solution: APL 8000 ELV

Pallet type admited

- ✓ Double stacked pallets
- ✓ Half Double stacked pallets
- ✓ Pallets with variable heights









